

LG 40 0.0 – Wertung – Jugend_II

StandNr: 13



Mathis, Elias #10359

StartNr: 177


27. Oktober 2020 18:58

USG Altach


Ergebnis: **400.3** (381)
 Serien: 100.3 100.3 100.8 98.9
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 645 (35), 470 (3), 435 (17)
 beste Teiler 27.8 (4.) 75.5 (27.) 83.6 (25.)
 Trefferlage 0.06 mm links, 0.57 mm tief
 Streuwert 1.91, horizontal: 1.66, vertikal: 2.13




Serie 1:
 10.3 * 10.3 * 9.1 ↙ 10.8 * 10.5 *
 9.8 ↓ 10.2 * 10.2 * 9.6 ← 9.5 ↘
 beste Teiler 27.8 (4.) 125.4 (5.) 151.3 (2.)
 Trefferlage 0.57 mm links, 1.28 mm tief
 Streuwert 1.67, horizontal: 1.74, vertikal: 1.60



Serie 2:
 10.5 * 10.0 ← 9.7 ↘ 10.6 * 10.4 *
 10.4 * 9.2 ↓ 10.5 * 9.7 ↙ 9.3 ↘
 beste Teiler 86.8 (14.) 116.2 (11.) 124.3 (18.)
 Trefferlage 0.12 mm links, 1.03 mm tief
 Streuwert 1.80, horizontal: 1.60, vertikal: 1.97



Serie 3:
 9.7 ↘ 9.8 ↓ 10.3 * 9.3 ↑ 10.6 *
 10.6 * 10.7 * 9.7 ↘ 9.6 ↑ 10.5 *
 beste Teiler 75.5 (27.) 83.6 (25.) 87.3 (26.)
 Trefferlage 0.45 mm links, 0.93 mm hoch
 Streuwert 1.67, horizontal: 0.93, vertikal: 2.17



Serie 4:
 9.9 ↘ 9.6 → 10.5 * 10.5 * 8.4 ↘
 9.4 ↙ 10.3 * 10.4 * 10.3 * 9.6 ↘
 beste Teiler 106.5 (34.) 117.6 (33.) 146.8 (38.)
 Trefferlage 0.91 mm rechts, 0.90 mm tief
 Streuwert 2.11, horizontal: 1.97, vertikal: 2.23

Unterschrift des Schützen

Meyton Elektronik

LG 40 0.0 – Wertung – Jugend_II_männl.

StandNr: 12



Rauer, Dominik #10713

StartNr: 13


27. Oktober 2020 18:55

USG Altach


Ergebnis: **399.0** (385)
 Serien: 101.1 98.6 97.5 101.8
 Zähler: 27 12 0 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 840 (21), 443 (15), 413 (19)
 beste Teiler 40.4 (32.) 61.6 (31.) 81.3 (27.)
 Trefferlage 0.14 mm rechts, 0.20 mm tief
 Streuwert 2.00, horizontal: 2.31, vertikal: 1.63




Serie 1:
 10.3 * 10.4 * 9.7 → 10.1 ↓ 10.3 *
 9.7 ↑ 10.4 * 10.6 * 9.5 ↘ 10.1 ↓
 beste Teiler 89.2 (8.) 127.4 (2.) 137.5 (7.)
 Trefferlage 0.89 mm rechts, 0.23 mm tief
 Streuwert 1.52, horizontal: 1.16, vertikal: 1.81



Serie 2:
 10.1 → 9.7 ← 10.2 * 10.0 → 9.2 ↖
 10.0 ← 10.4 * 9.3 ↘ 9.3 ↘ 10.4 *
 beste Teiler 131.5 (17.) 137.3 (20.) 194.0 (13.)
 Trefferlage 0.23 mm links, 0.26 mm tief
 Streuwert 2.19, horizontal: 2.72, vertikal: 1.47



Serie 3:
 7.6 ← 9.4 ↖ 9.6 ↘ 10.0 → 10.2 *
 10.2 * 10.6 * 10.4 * 9.8 ↖ 9.7 →
 beste Teiler 81.3 (27.) 132.0 (28.) 197.7 (26.)
 Trefferlage 0.61 mm links, 0.32 mm hoch
 Streuwert 2.66, horizontal: 3.39, vertikal: 1.63





Serie 4:
 10.7 * 10.8 * 10.0 ↗ 10.1 ↖ 10.3 *
 10.0 → 10.1 ↓ 10.0 ↓ 9.4 ↓ 10.4 *
 beste Teiler 40.4 (32.) 61.6 (31.) 127.9 (40.)
 Trefferlage 0.53 mm rechts, 0.64 mm tief
 Streuwert 1.46, horizontal: 1.17, vertikal: 1.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.2** (371)
 Serien: 98.2 96.7 100.1 95.2
 Zähler: 20 11 9 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 740 (19), 649 (36), 625 (27)
 beste Teiler 15.0 (14.) 46.6 (29.) 65.9 (23.)
 Trefferlage 0.13 mm links, 0.70 mm hoch
 Streuwert 2.48, horizontal: 2.83, vertikal: 2.07




Serie 1:
 10.3 * 8.7 ↘ 9.9 ↘ 10.0 ↘ 8.9 →
 10.6 * 10.3 * 9.6 ← 9.6 ↑ 10.3 *
 beste Teiler 91.5 (6.) 156.7 (7.) 169.3 (1.)
 Trefferlage 0.30 mm rechts, 0.69 mm hoch
 Streuwert 2.33, horizontal: 2.77, vertikal: 1.79



Serie 2:
 9.7 ↘ 8.6 ← 10.0 ← 10.9 * 10.1 ↓
 8.8 ↑ 9.8 ↑ 10.3 * 8.0 ↑ 10.5 *
 beste Teiler 15.0 (14.) 113.0 (20.) 165.6 (18.)
 Trefferlage 1.43 mm links, 1.51 mm hoch
 Streuwert 2.43, horizontal: 1.83, vertikal: 2.92



Serie 3:
 10.5 * 10.2 * 10.7 * 9.3 ↘ 9.4 ↘
 9.9 ↗ 8.5 ↗ 10.4 * 10.8 * 10.4 *
 beste Teiler 46.6 (29.) 65.9 (23.) 125.1 (21.)
 Trefferlage 0.72 mm links, 0.72 mm hoch
 Streuwert 2.09, horizontal: 2.24, vertikal: 1.93



Serie 4:
 9.0 → 8.8 ← 10.2 * 10.3 * 9.9 →
 8.4 → 10.0 ↗ 10.2 * 9.5 ↘ 8.9 →
 beste Teiler 173.8 (34.) 183.8 (33.) 189.6 (38.)
 Trefferlage 1.33 mm rechts, 0.10 mm tief
 Streuwert 2.78, horizontal: 3.72, vertikal: 1.26

Unterschrift des Schützen

Meyton Elektronik

LG 40 0.0 – Wertung – Jugend_I_weibl.

StartNr: 185



StandNr: 16

27. Oktober 2020 18:51


Klien, Lorena #10689

USG Altach

Ergebnis: **381.5** (365)
 Serien: 97.1 93.0 97.0 94.4
 Zähler: 15 17 6 2 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 860 (31), 765 (28), 723 (22)
 beste Teiler 34.0 (35.) 37.5 (24.) 60.0 (23.)
 Trefferlage 0.03 mm links, 0.06 mm hoch
 Streuwert 2.95, horizontal: 3.43, vertikal: 2.36




Serie 1:
 9.0 ↘ 10.1 ↘ 9.4 ↘ 10.2 * 10.4 *
 9.3 ↙ 9.2 ↑ 10.4 * 10.5 * 8.6 ↘
 beste Teiler 110.0 (9.) 129.4 (8.) 145.0 (5.)
 Trefferlage 0.55 mm rechts, 0.59 mm tief
 Streuwert 2.51, horizontal: 2.66, vertikal: 2.35



Serie 2:
 10.3 * 8.9 ↘ 10.2 * 9.2 ↑ 8.7 ↘
 9.3 ↘ 9.4 ← 9.1 ← 9.5 ↑ 8.4 ↘
 beste Teiler 162.2 (11.) 183.5 (13.) 358.3 (19.)
 Trefferlage 0.75 mm rechts, 0.27 mm tief
 Streuwert 3.22, horizontal: 3.27, vertikal: 3.17



Serie 3:
 10.6 * 8.1 ← 10.7 * 10.8 * 9.4 ←
 10.4 * 10.1 ↗ 7.9 → 9.6 ↘ 9.4 ↘
 beste Teiler 37.5 (24.) 60.0 (23.) 100.6 (21.)
 Trefferlage 0.09 mm rechts, 0.72 mm hoch
 Streuwert 2.93, horizontal: 3.88, vertikal: 1.47





Serie 4:
 7.5 ← 9.8 ↓ 10.4 * 9.2 ← 10.8 *
 10.3 * 9.6 → 9.3 ↘ 8.1 ← 9.4 ↗
 beste Teiler 34.0 (35.) 131.4 (33.) 156.4 (36.)
 Trefferlage 1.55 mm links, 0.42 mm hoch
 Streuwert 3.14, horizontal: 3.83, vertikal: 2.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367.9** (350)
 Serien: 88.0 92.7 94.0 93.2
 Zähler: 10 17 9 2 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1416 (7), 1161 (17), 969 (29)
 beste Teiler 62.4 (11.) 65.1 (31.) 71.7 (23.)
 Trefferlage 0.27 mm rechts, 0.52 mm hoch
 Streuwert 3.73, horizontal: 4.57, vertikal: 2.64




Serie 1:
 9.7 → 10.2 * 8.7 ← 8.8 ↘ 8.0 ↑
 9.5 ↘ 5.3 → 8.3 ↖ 9.7 ↘ 9.8 ↘
 beste Teiler 187.3 (2.) 284.4 (10.) 306.2 (9.)
 Trefferlage 0.35 mm rechts, 1.30 mm hoch
 Streuwert 4.64, horizontal: 6.01, vertikal: 2.61



Serie 2:
 10.7 * 10.4 * 9.6 ↑ 10.1 ↑ 9.2 ←
 8.1 → 6.3 ← 9.0 ↘ 8.8 ↘ 10.5 *
 beste Teiler 62.4 (11.) 109.2 (20.) 146.7 (12.)
 Trefferlage 1.09 mm links, 0.64 mm hoch
 Streuwert 3.81, horizontal: 4.82, vertikal: 2.41



Serie 3:
 9.5 ↘ 9.5 → 10.7 * 10.1 ↘ 9.3 ↑
 10.0 ↑ 9.4 → 9.4 → 7.1 ↙ 9.0 ↖
 beste Teiler 71.7 (23.) 204.4 (24.) 239.0 (26.)
 Trefferlage 0.58 mm rechts, 0.01 mm hoch
 Streuwert 3.32, horizontal: 3.92, vertikal: 2.59



Serie 4:
 10.7 * 9.7 → 9.4 ← 8.5 ↘ 7.9 →
 9.3 ↑ 10.5 * 8.8 ↑ 9.7 ↘ 8.7 ↙
 beste Teiler 65.1 (31.) 102.0 (37.) 315.2 (39.)
 Trefferlage 1.26 mm rechts, 0.13 mm hoch
 Streuwert 3.32, horizontal: 3.52, vertikal: 3.10

Unterschrift des Schützen

Meyton Elektronik